





PubMed	Nucleotide	Protein	Genome	Structure	PMC	Taxonomy	OMIM	Books	
Search PubM	ed ▼ fo	r					Go Cle	ar 🏂	
	Limit	s Previe	ew/Index I	History	Clipboard	Details			
	) 🚃								
Entrez PubMe	Display	Abstract	▼ Show	· 20 ▼ S	iort 🔻	Send to Text	7		
		z J Med Bi	ol Res. 1989	;22(6):717-9	).	Re	elated Articl	les, Links	
	Antigenic relationship among antihemorrhagic factors from snake and opossum plasmas.								
	Mou	ra-da-Silv	a AM, Tani	zaki MM.					
PubMed Services		Centro de Pesquisa e Formacao em Imunologia, Instituto Butantan, Sao Paulo, Brasil.							
Related Resources	plasm were (opos and b heter were Antib was u jarara show terrif react	Immunological relationships among antihemorrhagic factors (AHF) present in the plasma of different snakes and a mammal (opossum) were studied. Antibodies were prepared against purified Bothrops jararaca and Didelphis marsupialis aurita (opossum) AHF. The antigen-antibody reaction was determined by direct ELISA and by the competition of homologous antigen-antibody reaction with a heterologous competitor antigen. Plasmas from several snakes and from opossum were used as antigens. Anti-AHF (B. jararaca) reacted only with snake plasmas. Antibody against opossum AHF was detectable only when the homologous antigen was used. Differences in the reactivity of snake plasmas with antibodies against B. jararaca were demonstrable only when a competition assay was used: B. alternatus showed a reaction pattern similar to that of B. jararaca while Crotalus durissus terrificus and the nonvenomous snake, Wanglerophis merremii, presented reduced reactivity.  PMID: 2620182 [PubMed - indexed for MEDLINE]							
	Display /	Abstract	▼ Show	. 20 v s	ort ▼	Send to Text	v		

Write to the Help Desk
NCBI | NLM | NIH
Department of Health & Human Services
Freedom of Information Act | Disclaimer

Jun 12 2003 10:19:17